COMPONANCE ARCHITECTURAL HARDWARE



FB SERIES: BRASS

WALL MOUNTED HANDRAIL BRACKET



SPEC FB-WALL-BRASS

Application Wall Mounted

Material Solid Brass

Finish Brushed & Clear Coat

Colour Brass

Use Interior & Exterior

Projection 3" / 76mm

Spacing 36"-48" o.c. / 914-1220mm

Hardware Included

NOTES

Use with rail with flat bottom. Minimum 1-1/2" solid backing required. Can be installed on existing drywall. All hardware included.

FB Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.



FB SERIES: BLACK

WALL MOUNTED HANDRAIL BRACKET



SPEC FB-WALL-BLK

Application Wall Mounted

Material 304 Stainless Steel

Finish Powder Coated

Colour Black

Use Interior & Exterior

Projection 3" / 76mm

Spacing 36"-48" o.c. / 914-1220mm

Hardware Included

NOTES

Use with rail with flat bottom. Minimum 1-1/2" solid backing required. Can be installed on existing drywall. All hardware included.

FB Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.



FB SERIES: WHITE

WALL MOUNTED HANDRAIL BRACKET



SPEC FB-WALL-WHT

Application Wall Mounted

Material 304 Stainless Steel

Finish Powder Coated

Colour White

Use Interior & Exterior

Projection 3" / 76mm

Spacing 36"-48" o.c. / 914-1220mm

Hardware Included

NOTES

Use with rail with flat bottom. Minimum 1-1/2" solid backing required. Can be installed on existing drywall. All hardware included.

FB Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.



FB SERIES: BRUSHED STAINLESS

WALL MOUNTED HANDRAIL BRACKET



SPEC FB-WALL-SS

Application Wall Mounted

Material 304 Stainless Steel

Finish Brushed

Colour Silver

Use Interior & Exterior

Projection 3" / 76mm


Spacing 36"-48" o.c. / 914-1220mm

Hardware Included

NOTES

Use with rail with flat bottom. Minimum 1-1/2" solid backing required. Can be installed on existing drywall. All hardware included.

FB Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.



NOTES

Specification: FB-WALL-(COLOUR)


Minimum 1-1/2" / 38mm of solid backing, wood stud or concrete rquired for anchoring.


Can be installed on top of existing drywall.

Rail must be flat on the bottom where it comes in contact with the bracket. 2" W \times 3/4" D / 50mm \times 20mm min.

Can be used with solid metal and wood rails. For hollow metal rails, please inquire.

For techincal installation, product specs, maintenance and more specific questions, please contact info@componance or call +1.604.771.5128





FB Series, designed and manufactured by componance. For technical information, CAD drawings or related materials, please visit: www.componance.com or contact an authorized componance dealer. All information subject to change. Line drawings are not plotted to scale, for scaled drawings please inquire or download the drawings in CAD format.