Benefits of Vital Humic Hydro-Bio Ingredients for Sod Production

An In-Depth Exploration

Humic Acid

Improves soil structure and fertility by enhancing root growth and nutrient uptake. Helps unlock phosphorus, reduce leaching, improve water retention, and release stored nitrogen.

Fulvic Acid

Promotes root growth, nutrient absorption, and brix levels. Improves water retention, translocation of nitrogen, and reduces soil salinity.

Kelp Extract

Enhances root development and uptake of nutrients, especially potassium. Supports the movement of nitrogen and phosphorus within the plant.

Molasses

Acts as a carbon source, supporting microbial activity. Aids in nitrate release, ammonia conversion, brix elevation, and soil structure improvement.

Evaporated Cane Juice

Boosts microbial activity with a carbon source. Enhances nutrient cycling, nitrogen/phosphorus translocation, and root development.

Hydroxypropyl Methylcellulose

Improves soil structure and water retention. Helps combat compaction and promotes strong root development.

Lactobacillus plantarum Lp-G18

Produces lactic acid to suppress pathogens and improve pH. Breaks down organic matter, increases nutrient availability, and promotes humus formation.

Bacillus subtilis BS-GA28

Produces enzymes and antibiotics to control fungal infections. Decomposes organic matter and enhances nutrient availability.

Bacillus licheniformis BL-GA26

Breaks down organic material and improves soil texture. Produces biosurfactants for water infiltration and pathogen defense.

Bacillus pumilus BP-GA62

Stimulates plant growth with hormones and biofungicidal compounds. Facilitates nitrogen and phosphorus cycling and improves fertility.

Bacillus amyloliquefaciens BA-GA77

Controls pathogens through antimicrobial compounds. Improves root structure and phosphorus release while reducing compaction.

Bacillus megaterium BM-GA53

Solubilizes phosphorus and breaks down organic matter. Enhances overall plant vigor and improves root development.

Trichoderma viride TV-GA81

Defends roots against pathogenic fungi. Stimulates hormone production and releases nutrients, aiding soil structure and compaction resistance.

Bio-Synthesized Nanoparticles

Act as adjuvants and surfactants to improve nutrient uptake and foliar spray effectiveness. Boost fungicide/pesticide performance and combat soil diseases directly.

Vital Humic Hydro-Bio for Sod Production

- Carrow, R. N., et al. (2001). Turfgrass soil fertility and chemical problems: Assessment and management. Wiley.
- St. John, R. A., et al. (2003). Impact of biostimulants on turf quality and soil microbial activity. Crop Science.

Disclaimer

This document is for educational purposes only. While the ingredients listed have demonstrated benefits under various agronomic conditions, results may vary depending on soil type, climate, and management practices. This information should not be construed as a substitute for professional agronomic advice or regulatory-approved guidance. Always consult a qualified agronomist before implementing any new inputs or programs.

Vital Humic Commitment to Quality and Transparency in Ingredients and Manufacturing

At our company, we pride ourselves on transparency. We are not afraid to list all our ingredients, including their quantities and, more specifically, the bacterial strains and substrains (legacy bacteria) that we use. This openness stems from our confidence in the quality and efficacy of our products. Although the components we use are widely known and accessible, the true secret to our success lies in our unique sourcing and stringent quality control processes.

Vital Humic Ingredient Sourcing and Quality Control

All our ingredients are produced to meet our specific requirements, ensuring they pass our rigorous testing and efficacy standards. These ingredients are manufactured in small batch quantities exclusively for our purchase, a practice we believe is essential for maintaining a consistent product. Our meticulous approach to sourcing guarantees that every component we use is of the highest quality, contributing to the superior performance of our products.

Small Batch Production

We believe that producing ingredients in small batches is crucial for maintaining consistency and quality. Each batch is carefully monitored and tested to ensure it meets our stringent standards. This attention to detail allows us to deliver products that consistently meet our customers' expectations, providing reliable and effective solutions.

Vital Humic Fermentation Process

One of the key aspects of our manufacturing process is fermentation. This method, while time-consuming, is underpinned by a robust scientific foundation. We did not select our bacterial strains solely for their field performance; their role in the fermentation process is equally critical. These bacteria are chosen for their ability to produce bio-synthesized nanoparticles, which enhance the efficacy of our products.

Extended Fermentation Period

The proprietary fermentation process we employ takes a considerable amount of time, and for good reason. It is essential to allow the bacteria sufficient time to perform their metabolic functions. During this extended period, the bacteria break down molecules into progressively smaller molecules, repeatedly undergoing metabolism. This process not only creates new molecules but also enhances the bacteria's ability to thrive in various environments and conditions.

Bio-synthesized Nanoparticles

Vital Humic bacterial strains play a pivotal role in the production of bio-synthesized nanoparticles. These nanoparticles are integral to the effectiveness of our products, as they

enhance the delivery and performance of the active ingredients. By harnessing the natural abilities of our bacteria, we can produce products that are more effective and efficient.

Scientific Foundation and Innovation

Our approach to manufacturing is deeply rooted in scientific principles. We continuously innovate and refine our processes to ensure we are producing the best possible products. This commitment to science and innovation is reflected in every aspect of our production, from ingredient sourcing to the final product.

Research and Development

Our extensive research and development efforts are a testament to our commitment to quality and innovation. We invest heavily in R&D to ensure we are utilizing the latest scientific advancements in our products. This focus on research allows us to develop unique and effective solutions that meet the evolving needs of our customers.

Commitment to Customer Satisfaction

Ultimately, our goal is to provide our customers with products that are both effective and reliable. We believe that our transparency, quality control, and scientific approach set us apart from the competition. By maintaining these high standards, we aim to build long-lasting relationships with our customers based on trust and satisfaction.

Quality Assurance

Our quality assurance processes are designed to ensure that every product we produce meets our rigorous standards. From raw material sourcing to final product testing, we leave no stone unturned in our quest for quality. This meticulous approach ensures that our customers receive products they can rely on.

Disclaimer

This document is intended for informational purposes only and does not constitute a warranty or guarantee of product performance. The manufacturing and quality control descriptions are based on current practices and may be refined over time in line with scientific and regulatory developments. Always consult with a qualified expert when evaluating inputs for specific agricultural, horticultural, or ecological applications.

Vital Humic Hydro-Bio Improves Brix Levels for Plant Health and Insect Control

How Various Ingredients Enhance Brix Levels

Introduction

Brix levels refer to the sugar content in plant tissues, an important indicator of plant health and vigor. High brix levels are associated with better photosynthesis, nutrient uptake, and resistance to pests and diseases. This document explores the effectiveness of various ingredients—such as humic acid, fulvic acid, kelp extract, molasses, and more—in enhancing brix levels both in soil and as foliar sprays. We will also discuss the importance of brix levels for plant health and their role in insect control.

Vital Humic Hydro-Bio Key Ingredients for Enhancing Brix Levels

Humic Acid

Improves soil structure, nutrient uptake, and photosynthesis. Used in foliar applications to stimulate enzyme activity and sugar production in plants.

Fulvic Acid

Chelates nutrients for better absorption, promotes root development, and enhances nutrient transport within the plant, increasing sugar content.

Kelp Extract

Provides hormones and nutrients that support photosynthesis and stress tolerance, resulting in higher brix levels when applied as a foliar spray.

Molasses

Supplies energy for beneficial microbes, improves nutrient cycling, and delivers sugars to boost plant energy and brix values.

Evaporated Cane Juice

Provides carbohydrates that enhance soil microbiology and offers an immediate energy boost to plants when used as a foliar spray.

Hydroxypropyl Methylcellulose (HPMC)

Improves foliar spray adhesion and efficacy, enhancing the uptake of nutrients and leading to increased brix levels.

Beneficial Microorganisms

Lactobacillus plantarum, Bacillus subtilis, Bacillus licheniformis, Bacillus pumilus, Bacillus amyloliquefaciens, Bacillus megaterium, and Trichoderma viride enhance soil health, nutrient cycling, and stress resistance, improving plant vigor and brix levels.

The Importance of Brix Levels

Brix Levels and Plant Photosynthesis

Higher brix levels reflect efficient photosynthesis, leading to increased energy production, better growth, and enhanced resistance to stress and disease.

Brix Levels and Plant Health

High brix is linked with stronger cell walls, better nutrient uptake, and improved crop flavor, shelf life, and nutritional value.

Brix Levels and Insect Control

Insects are less likely to feed on high-brix plants due to difficulty in digesting sugars and penetrating stronger plant tissues.

Chart: Brix Levels and Their Effects on Insects

Brix Level (%)	Effect on Insects
0-4	Highly susceptible to insect damage
4-8	Moderately susceptible to insect damage
8-12	Low susceptibility to insect damage
12-20	Very low susceptibility to insect damage
20+	Highly resistant to insect damage

Molasses and Cane Sugar for Higher Brix Levels

Molasses and evaporated cane juice are carbohydrate-rich foliar sprays that increase brix levels by supplying plants with immediate energy. They support nutrient uptake, boost photosynthesis, and improve crop resilience, yield, and pest resistance.

Scientific References Vital Humic Hydro-Bio (Brix Levels)

- Barker, A. V., and Pilbeam, D. J. (2015). Handbook of Plant Nutrition. CRC Press.
- Tucker, M. R. (1999). Essential plant nutrients: Their presence in North Carolina soils and role in plant nutrition. NC Department of Agriculture.

How Each Ingredient in Vital Humic Hydro-Bio Functions as an Effective Fungicide

In the Soil and as a Foliar Spray

Each component of Vital Humic Hydro-Bio contributes uniquely to fungicidal protection through its role in strengthening plant immunity, enriching microbial diversity, and suppressing fungal pathogens. This guide outlines how these ingredients function both in soil applications and when used as foliar sprays.

Humic Acid

Enhances soil structure and fertility, promotes root development and microbial activity. In foliar form, it boosts nutrient uptake and plant immune response.

Fulvic Acid

Chelates nutrients and supports nutrient transport and decomposition. As a foliar spray, it boosts plant cell absorption and mineral uptake, enhancing resistance.

Kelp Extract

Supplies natural growth hormones that fortify cell walls. In foliar applications, it quickly enhances stress resilience and disease resistance.

Molasses

Feeds beneficial microbes in soil and on leaves. Helps suppress fungal pathogens by energizing microbial competition and activity.

Evaporated Cane Juice

Supports microbial growth and soil fertility. As a foliar application, it creates a surface ecology hostile to fungal development.

Hydroxypropyl Methylcellulose

Forms a protective film that blocks fungal spores. Also improves moisture retention in soil and foliar spray adhesion.

Lactobacillus plantarum Lp-G18

Produces lactic acid to suppress fungal growth. Establishes beneficial colonies on foliage and enhances soil microbial diversity.

Bacillus subtilis BS-GA28g

Releases antibiotics and enzymes that kill fungi. Builds protective root biofilms and inhibits surface fungal spores as a foliar spray.

Bacillus licheniformis BL-GA26

Suppresses fungi by producing antimicrobial metabolites. Promotes microbial balance in soil and surfaces for fungal disease defense.

Bacillus pumilus BP-GA62

Degrades fungal cell walls and secretes growth-inhibiting compounds. Effective as a foliar biocontrol agent and in root health support.

Bacillus amyloliquefaciens BA-GA77

Supports plant growth and blocks fungal development. Provides protective colonization both in rhizosphere and on foliage.

Bacillus megaterium BM-GA53

Improves immunity and nutrient uptake. Suppresses fungal pathogens while building plant strength and microbial shielding layers.

Trichoderma viride TV-GA81

Attacks fungal pathogens directly and promotes growth. Active in organic matter breakdown and as a foliar antifungal colonizer.

Conclusion

Each ingredient in Vital Humic Hydro-Bio plays a role in defending plants from fungal diseases. Through microbial competition, enhanced nutrient uptake, and physical or chemical suppression of pathogens, these components work together to strengthen plant immunity. Whether used in the soil or as foliar protection, this blend provides a natural and effective alternative to synthetic fungicides.

Disclaimer

The information presented in this document is intended for educational and reference purposes only. While supported by agricultural literature and field observations, results may vary based on crop type, climate, application method, and other environmental factors. This document does not constitute medical or pesticidal claims and should not replace certified crop protection recommendations. Always consult with a qualified agronomist or plant health specialist before implementing new inputs.

Vital Humic Proprietary Fermented Bio-Synthesized Nanoparticles

Understanding the Role of Bacteria and Their Impact on Plant Health

Introduction

In recent years, the development of bio-synthesized nanoparticles has gained significant attention due to their eco-friendly nature and potential applications in various fields, including agriculture. These nanoparticles are produced through biological processes, often involving the fermentation of specific bacteria. This document explores the production of bio-synthesized nanoparticles, the role of certain bacteria, and their efficacy as adjuvants or surfactants in agriculture. Additionally, it examines the adverse effects of traditional adjuvants and surfactants on plant health.

Bio-Synthesized Nanoparticles in Fermentation Processes

Vital Humic bio-synthesized nanoparticles are tiny particles produced through biological processes, typically by microorganisms such as bacteria, fungi, and plants. These nanoparticles are synthesized through various mechanisms, including intracellular and extracellular routes, during the fermentation process. Vital Humic's proprietary fermentation process involves the cultivation of microorganisms under controlled conditions, leading to the production of nanoparticles as by-products of their metabolic activities.

Production Mechanism

During Vital Humic proprietary fermentation, microorganisms secrete enzymes and other biomolecules that facilitate the reduction of metal ions to form nanoparticles. The nanoparticles are stabilized by capping agents present in microbial culture. The size, shape, and properties of these nanoparticles can be influenced by factors such as the type of microorganism, growth conditions, and the presence of specific nutrients or additives.

Bacteria Assisting in the Production of Vital Humic Bio-Synthesized Nanoparticles

Lactobacillus plantarum Lp-G18

Known to produce silver nanoparticles (AgNPs) with antimicrobial properties beneficial in agricultural applications.

Bacillus subtilis BS-GA28

Synthesizes gold nanoparticles (AuNPs) that offer high biocompatibility and stability, ideal as agricultural adjuvants or surfactants.

Bacillus amyloliquefaciens BA-GA77

Produces zinc oxide nanoparticles (ZnO-NPs), known to support plant growth and resistance against pathogens.

Efficacy of Bio-Synthesized Nanoparticles as Adjuvants or Surfactants

- Enhanced Efficacy: Improves the delivery and absorption of active ingredients, reducing required application rates.
- Biocompatibility: Naturally produced and biodegradable, minimizing environmental and ecological risks.
- Controlled Release: Enables sustained release of actives for long-lasting effects.

Adverse Effects of Traditional Adjuvants and Surfactants on Plant Health

While synthetic surfactants and adjuvants may improve application efficiency, they can negatively impact plant and environmental health.

Phytotoxicity

Synthetic surfactants may cause leaf burn, chlorosis, and stunted growth, reducing photosynthetic activity and crop yield.

Soil and Water Contamination

Persistent compounds may accumulate, harming soil microbiota and contaminating aquatic systems.

Non-Target Effects

Synthetic compounds may affect beneficial insects, soil organisms, and overall biodiversity.

Conclusion

Vital Humic bio-synthesized nanoparticles, derived from proprietary fermentation processes, offer a sustainable and effective alternative to traditional adjuvants and surfactants in agriculture. With support from microbial agents like Lactobacillus plantarum, Bacillus subtilis, and Bacillus amyloliquefaciens, these nanoparticles enhance agricultural spray efficacy while protecting plant and environmental health. Ongoing research continues to reveal their potential in sustainable agricultural solutions.

Disclaimer:

The information presented in this document is intended for educational and informational purposes only. It does not constitute a guarantee of performance or regulatory approval. Statements regarding the role of microorganisms and bio-synthesized nanoparticles are based on current scientific understanding and in-house research. As agricultural outcomes may vary based on environmental conditions, crop type, and application methods, users are advised to perform their own trials and consult with agricultural specialists before use. Vital Humic makes no claims of curing or preventing plant diseases or replacing regulated agricultural products.