

Document Summary – this document is intended for training and onboarding purposes to introduce foundational knowledge of part numbers, product vocabulary, and offerings for Pro Products, Inc. For additional questions, contact your local rep or email info@pro-products.net

Table of Contents

- 1. Part Number Nomenclature/Designation
- 2. Point Type
- 3. Head Size (the #) and Length
- 4. White Head Applications & Special Notes
- 5. Nails
- 6. Packaging Options
- 7. Type and Styles
- 8. Bulk Buckets (see last page)





1. Part Number Nomenclature/Designation



Product Category

PS = PRO SCREW

SIZE

#8 #10

#12

#7

Length

 $12 = \frac{1}{2}$ "

 $34 = \frac{3}{4}$ "

1 = 1"

114 = 1-1/4"

112 = 1-1/2"

= 3"

Quantity

Z = 25

|| L = 50

C = 100

Q = 250

H = 500

M = 1,000

B = BULK

Point Type

SP = Self Piercing

SD = Self Drilling

White Head

optional

Bucket

Optional

Applies to BULK sizes only

\$6 upcharge

Pro Products, Inc. | 12589 Perimeter Rd | Dallas | Texas | 75228 | 800-922.5068 | pro-products.net | orders@pro-products.net





2. Point Type

	<u>Point Type</u>	<u>Application</u>	Other names	<u>Head Style</u>	<u>Lengths</u>
	Self Drilling	HVAC metal-to-metal fastening, sheet metal, steel framing #8 – light steel #10 – Medium gauge, multiple layers of light steel #12 – Heavy gauge, channels, structural studs	TEK, Drill, Self-Tapping, Tapping*	Hex Washer	1/2" – 3"
a a is in in in in in in	Self Piercing	HVAC, electrical, sheet metal, and light steel framing	Speed Point, Needle, Diamond, Sharp, Self-Penetrating, Tapping* (*Tapping used for both)	Hex Washer	½" – 3"







3. Head Size (the #) and Length

Size	#7	#8	#10	#12
Head Size (inches)*	1/4	1/4	5/16	5/16
Length	1/2" **	1/2", 3/4", 1", 1-1/4", 1-1/2", 2, 3"	½", ¾", and 1"	3/4", 1"
White Head	NO	YES (2" and 3") SP or SD	NO	NO
Point Type***	SP	вотн	ВОТН	SD

^{*}Nut Setter tool size needed **Actual length is 9/16" ***SP = Self Piercing, SD = Self Drilling

- Special Note 1/4" Screws
 - o customers will ask for "a ¼" screw". You need to ask what length
 - o ¼" is the HEX head size, but customer needs to tell you the length, example: ¼" HEX head x 2" length









4. White Head Applications

- White Heads painted white HEX head for install of HVAC white grilles
 - (available both self-piercing & self-drilling)

5. Nails


- Roofing Nails (pictures at right)
 - Suitable for wooden or asphalt shingles
 - Wide Flat Head for holding material
- Joist Nails
 - For attaching a joist hanger to a wood member
 - Short, heavy gauge nail provides increased holding power
 - o Galvanized to resist rust and weathering
- Common Nails (also called Penny or Pan Nails)
 - For general construction, carpentry, and framing
- Coated Sinker Nails
 - For general construction, carpentry, and framing
 - Coated with oil for lubrication when driving
 - Coated for firmer holding power
 - o "Sinker" means a slightly narrower shank and a special head
 - o Designed to be sunk flush with the surface of the wood





Roofing Nail (above)

**Top Seller is item RFN2CB - 2" Roofing Nails, 100 Pack Bag




Other sizes available upon request

Pro Products, Inc. | 12589 Perimeter Rd | Dallas | Texas | 75228 | 800-922.5068 | pro-products.net | orders@pro-products.net







Screw Length	16oz (case qty 32)	24oz (case qty 12)	42oz (case qty 10)	72oz (case qty 8)
1/2"	500 pack	1000 pack	n/a	n/a
1/2	300 pack	1000 pack	11/ a	11/ a
3/4"	n/a	500 pack	1000 pack	n/a
		250 pack		
1"	n/a	500 pack	1000 pack	n/a
1-1/2"	n/a	250 pack	500 pack	1000 pack
2"	n/a	n/a	250 pack	500 pack



7. Types and Styles

Stock items shown in RED. Special orders and quotes are available on all types and styles. Washer Type Screws Head Style STITLING TO STATE OF THE STATE Wood Screws Sheet Metal Screws Machine Screws External Tooth Lock Internal Tooth Lock **Nut Types** Self Drilling SMS Socked Cap **Drive Types** Socket Screws Set Screws Eye Lags Nylon Insert Jam Lock (3) 0) Combination Socked, Hex or Allen 00 J-Bolts Elevator Bolts **Prevailing Torque Lock** One Way K-Lock or Kep Wood & Drywall Screws, NOT Sheet Metal Screws

Pro Products, Inc. | 12589 Perimeter Rd | Dallas | Texas | 75228 | 800-922.5068 | pro-products.net | orders@pro-products.net





8. Bulk Buckets

UPGRADE BULKS OPTION (\$5 UP-CHARGE)

Bulks ship in original box.

Add'-B' at end of any Bulk order to ship in a 2 gallon white bucket with metal handle and resealing lid.

