

# DRILLING OPERATIONS



HIGH PRESSURE CEMENT HOSE  
2" TO 3" & 10,000PSI TO 15,000PSI



UNDERBALANCED DRILLING HOSE  
2" TO 5" & 5,000PSI TO 7,500PSI



HIGH PRESSURE MUD HOSE  
2" TO 6" & 5,000PSI TO 7,500PSI

# HYDRAULIC FRACTURING



HIGH PRESSURE FRAC HOSE

2" TO 6" & 10,000PSI TO 20,000PSI



CUSTOMIZED HUB SEAL POCKETS PER CUSTOMER SPECS

COMPATIBLE WITH FREUDENBERG HUB SEALS AND SINGLE BOLT CLAMPS

# WELL SERVICING



CHOKE/KILL HOSE

2" TO 4" & 5,000PSI TO 15,000PSI



CHOKE/KILL HOSE

2" TO 4" & 5,000PSI TO 15,000PSI



FIRE RATED HYDRAULIC BOP HOSE

3/8" TO 2" & 3,000PSI TO 5,000PSI



# PRODUCTION AND FLOWBACK



FLOWLINE HOSE

(INNER WALL ARMORED FOR GAS SERVICE)

2" TO 8" & 3,000PSI TO 5,000PSI



WELL TESTING HOSE

(INNER WALL ARMORED FOR GAS SERVICE)

2" TO 4" & 10,000PSI TO 15,000PSI



SALT WATER DISPOSAL

2" TO 6" & 5,000PSI TO 7,500PSI

PH

# LOW PRESSURE MULTIPURPOSE

---



LOW PRESSURE MULTIPURPOSE

6" TO 16" & 150PSI



FIRE RESISTANT LOW PRESSURE MULTIPURPOSE

6" TO 16" & 150PSI



# CHEMICAL TREATING



CHEMICAL DISCHARGE HOSE  
3/4" TO 6" & 232PSI



CHEMICAL SUCTION HOSE  
3/4" TO 6" & 232PSI