

NeverStrip Micron Clean[™]





Section [1] Product and Company Identification

Product Name: NeverStrip Micron Clean **General Use:** Neutral to alkaine cleaner

Manufacturer: NeverStrip Floor Coatings, 2816 Centre Cir, Downers Grove, IL 60515

Information: 800.854.5414 E-mail: Info@NeverStrip.com Date Prepared: 6/26/25

USA Emergency, Chemtrec: 800-424-9300

Section [2] Hazardous

Globally Harmonized System

GHS Symbol:



GHS Signal Word: WARNING

This product is alkaline. Avoid contact with eyes and skin. Keep out of reach of children. The product may be harmful if it is inhaled or swallowed.

Potential Health Effects:

Code of Hazard Statements:

Physical Hazards: None.

Health Hazards:

H303-may be harmful if swallowed H312-Harmful in contact with skin H319-Causes serious eye irritation H333-May be harmful if inhaled.

Environmental Hazards: H402-Harmful to aquatic life

Code of Precautionary Statements:

General:

P101-Keep out of reach of children

P103-Read label before use

Prevention Statements:

P202-Do not handle until all safety precautions have been read and understood. P262-Do not get into eyes, on skin or on clothing.

P264-Wash thoroughly after handling using this product

P280-Wear protective gloves/protective clothing/eye protection/face protection

P284-Wear respiratory protection

Response statements

P312-Call a **POISON CENTER** or doctor/physician if you feel unwell

P331-DO NOT induce vomiting.

P340, Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352, Wash with plenty of soap and water.

P362, Take off contaminated clothing and wash before reuse.

Storage

P403-Store in well-ventilated place

P404-Store in a closed container

P412-Do not expose to temperatures exceeding 60°C (140°F)

Routes of Entry: Eye contact, skin adsorption, ingestion and inhalation.

Carcinogenicity: None know at this time

Section [3] Hazard Identification

Hazard Status: Hazardous Components

Component	CAS#	EINECS#	WT%	Reach Reg#
Nonionic Surfactant	68439-51-0	231-791-2	3-10	No
Water	7732-18-5		Balance	No

Note: REACH Reg# is the combination of the EINECS# and CAS#.

The REACH Reg# for lithium silicate is 235730012627144.

Substances listed are present in concentration of 1% or greater, or 0.1% if cited as a potential Carcinogen in the OSHA hazards communication standard. Where proprietary ingredient is listed, the identity is available as provided in 29 CFR 1910.1200.

NE - Not Established

Section [4] First Aid Measures

Eye Contact: Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

Skin Contact: Use soap and water to remove from the skin; remove contaminated clothing, clean thoroughly before reuse.

Inhalation: Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

Ingestion: If swallowed, get medical attention immediately. **DO NOT INDUCE VOMITING.** Never give anything by mouth to an unconscious person.

Section [5] Fire Fighting Measures

Flash Point: Not flammable Flammability Limits: NE

Fire Fighting Media: Dry chemical, carbon dioxide, and water spray.

Special Fire Fighting Procedures: First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE). Material is alkaline and may cause the floor to be slippery.



Section [6] Accidental Release Measures

Clean-up Procedures: Material is alkaline wear proper PPE. Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use plastic shovel to pick up absorbent fordisposal.

Spills and Leaks: Dispose in accordance to local, state or federal regulations.

Section [7] Handling and Storage

Handling: Do not get into eyes. Do not taste or swallow. Wash thoroughly after handling **Storage:** Store in original labeled container. Keep in cool and dry areas. Do not exceed 60°C (140°F).

Section [8] Exposure Control/Personal Protection

Introductory Remarks: Consider the potential hazards of this product outlined in section 3. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.

Personal Protection:

Eyes: Wear safety goggles or safety glasses to prevent eye contact.

Body: Long sleeve shirts, long pants, socks, rubber boots and chemical resistant gloves.

Hands: Chemical resistant gloves

Respiratory: Wear an approved respirator (NIOSH TC-84A rated or EN 14387) that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

Other: None

Section [9] Physical and Chemical Properties

Odor/Color: Nearly odorless & clear liquid

pH: 7-9

% Volatile by weight: <90

Evaporation rate (water=1): < 1.0

Freezing point: 0°C (32°F)

Vapor Pressure: <2.0 torr @ 68°F (20°C)

Density: (wa 1.016 @ 68°F (20°C)

Solubility: >99% in water Boiling Point: 212°F (100°C)

Section [10] Stability and Reactivity

Chemical Stability: Considered stable under normal ambient temperatures. **Hazardous Decomposition:** If complete combustion, oxides of carbon

and silicates are formed.

Hazardous Polymerization: Will not occur

Incompatibility - Materials to Avoid: May react with strong oxidizing agents,

strong acids and metal salts.



Section [11] Toxicological Information

Acute Eye Irritation: Irritating

Acute Skin Irritation: Chronic exposure may be irritating.

Acute Dermal Toxicity: Not expected to be toxic through the skin.

Acute Inhalation Toxicity: Not determined, expected to be an irritant to the

respiratory system.

Existing Medical Conditions Aggravated by Exposure: Exposure to eyes and skin

may cause irritation to preexisting conditions.

Section [12] Ecological Information

Eco toxicity: The toxicity of this product has not been determined.

Environmental Fate: This product should be expected to be readily biodegradable.

Section [13] Disposal Considerations

Waste Disposal Method: What ever cannot be saved for recovery or recycling should be managed by the local, state or Federal Regulations. **Container Handling and Disposal:** All containers should be triple rinsed and disposed of according to local, state and Federal regulations.

Section [14] Transport Information

Ground Classification: Not regulated by US DOT

Shipping Name: Micron Clean Technical Shipping Name: None

UNFIC: None ID Number: None

Packaging Group: None Labels: No US DOT Labels Not regulated by IATA or IMO

Section [15] Regulatory Information

EPCRA 311/312 Categories:

Immediate (Acute) Health Effects: Yes Delayed (Chronic) Health Effects: Yes

Fire Hazard: No

Sudden Release of Pressure Reactivity: No

European Community: irritating (Xi) substances

Right to know classification: All ingredients are listed in PA and NJ.

TSCA: All ingredients listed or exempt from listing.

Reportable Quantity (RQ): None

Prop. 65: None



WHMIS: Xi (Irritant to the eyes and skin)
All ingredients are listed as chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK

List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances Control Act of 1086

Section [16] Other Information

Hazardous Material Information (HMIS)

Health 1 Flammability 0 Reactivity 0 Protection H

0 = Insignificant Hazard, 1 = Slight, 2 = Moderate, 3 = High, 4 = Extreme, * = Chronic H = Safety Glasses, Gloves, Safety Apron, Dust and Vapor Respirator

National Fire Protection Association (NFPA)

Health 1 Fire 0 Instability 0 NA

Health: 4 = Deadly, 3 = Extreme Danger, 2 = Dangerous, 1 = Slight Hazard, 0 = No Hazard **Fire:** $4 < 73^{\circ}C$, $3 < 100^{\circ}C$, $2 < 200^{\circ}C$, $1 > 200^{\circ}C$, 0 Will not burn

Reactivity/Instability: 4 = May detonate, 3 = Explosive, 2 = Unstable, 1 = Normally Stable, 0 = Stable

Risk phrases: R36, Irritating to eyes; R37, Irritating to respiratory system; and R38, Irritating to skin

Safety phrases: S2, Keep out of reach of children; S24, Avoid contact with skin; S25, Avoid contact with eyes; S37, Wear suitable gloves; and S39, Wear eye/face protection.

Disclaimer: The information contained herein is based on the data available to us and is believed to be correct. NeverStrip Floor Coatings makes no warranty expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. NeverStrip Floor Coatings assumes no responsibility for injury, loss or damage from the use of the product described.

NeverStrip Floor Coatings, 800.854.5414 www.NeverStrip.com For Hazardous Materials Incident: Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC (24 hours) USA and Canada: 800.424.9300

6/26/25 © NeverStrip Floor Coatings