

MicroBot™
GREASE ELIMINATOR

Microbot Grease Eliminator HC™

Microbot Grease Eliminator HC™

Product Description

Microbot Grease Eliminator HC is formulated with a blend of Bacillus strains scientifically selected for their ability to break down fats, oils, and grease common in restaurants and automotive facilities. This organic material along with other substrates can accumulate on floors and in drains and grease traps leading to clogs and backups.

Key Features

- Removes oils, greases and urine from commercial floors
- Cost effective
- Easy, fast process
- Maintains a clean, grease-free floor
- Delivers an attractive coefficient of friction (COF) by eliminating greases from the floor
- Floor are less slippery while using product compared to high pH degreaser cleaners
- Has a pleasant odor during use
- Creates no harmful fumes
- Eliminates on-going grease odors
- Near neutral pH
- Use on any non-carpet flooring
- Totally compatible with all of NeverStrip Micron Sealers
- Safe for drain disposal

Cleaning Instructions

Restaurants and other commercial facilities can have years of grease, oil and soil build-up. An initial professional restorative cleaning using the Microbot Grease Eliminator HC is often a desired approach prior to less intensive daily or frequent cleaning. After the restorative cleaning, the facility can maintain a clean, grease-free floor using a Mop and Bucket or auto scrubber.

Restorative Cleaning Process:

- Sweep the floor
- Read entire product label before proceeding
- Turn the Microbot quart-container over twice to mix solution (**DO NOT SHAKE**)
- Fill a mop bucket with **WARM** tap water
- Apply liberal amounts of water only to the floor
- Mix 16-32 ounces of Microbot Grease Eliminator HC into 4 gallons **WARM** tap water
- Apply mixed solution liberally onto the floor with a mop or sprayer
- Immediately scrub or agitate the solution on the floor with a 175-rpm floor machine or equivalent equipment with a soft to medium grit brush
- A deck brush is a good tool for small or tight areas and along baseboards
- Allow 20 minute dwell time
- Perform a second scrub
- If available, squeegee the solution to a drain (the Microbot solution will help clean the drain pipe of grease and oils)
- Using an extraction system (wet vac with squeegee wand, rinse and reclaim system - truck mounted or portable; or auto scrubber) extract the remaining solution. Be prepared to add a proper amount of defoamer product to the recovery tank to control foaming
- Pour used solution down drains, toilets and urinals to assist in cleaning; this reduces grease and oils and eliminates odors in your drains

Microbot Grease Eliminator HC™

Daily/Frequent Maintenance Cleaning Instructions

- Sweep the floor
- Read entire product label before proceeding
- Turn the Microbot quart-container over twice to mix solution (**DO NOT SHAKE**)
- Fill a mop bucket with **WARM** tap water
- Pour 1-4 ounces of Microbot Grease Eliminator HC into 4 gallons
- Mop the floor, ringing the mop as you go
- Allow floor to air dry (No need to rinse floor)
- Pour used solution down drains, toilets and urinals to assist in cleaning; this reduces grease and oils and eliminates odors in your drains

Auto Scrubber Cleaning Instructions

- Sweep the floor
- Read entire product label before proceeding
- Turn the Microbot container over twice to mix solution (**DO NOT SHAKE**)
- Mix 1-4 ounces of Microbot Grease Eliminator HC for every 4 gallons of water in the auto scrubber for daily use
- Use a red pad or equivalent brush
- Scrub and Extract in normal fashion (Be prepared to add a proper amount of defoamer product to the recovery tank to control foaming)

- Pour used solution down drains, toilets and urinals to assist in cleaning; this reduces grease and oils and eliminates odors in your drains

Storage

- Sweep the floor
- One year shelf life from manufacturing date when properly stored and kept sealed
- Close container tightly after each use
- Store in original container only
- Store and use within temperatures of 40 degrees to 150 degrees fahrenheit.
- **Do not** allow to freeze - Not Freeze/Thaw stable

Caution

- Do not allow product to freeze
- Do not ingest
- If ingested, seek immediate medical attention
- Wear protective eyewear
- Wear protective gloves
- Do not use product where it can come in contact with mastic, glue, soy based products, floor finish/wax or similar materials
- Do not use on surfaces with food contact or food prep