

NeverStrip®
FLOOR COATINGS
21st Century Floor Care Technology™

NeverStrip Brick, Concrete & Paver Cleaner



NeverStrip Brick, Concrete & Paver Cleaner

NeverStrip Brick, Concrete & Paver Cleaner

is a specialty cleaner designed for the removal of embedded oils/greases, cleaning and restoring heavily soiled brick and interlocking paver surfaces. It is particularly suited for surfaces that require a controlled cleaning process where exposure time must be managed to protect the integrity of the material.

This product is intended for both commercial and residential exterior applications and is especially effective on brick, concrete and paver surfaces where proper surface preparation and controlled cleaning are critical to achieving desired results.

Key Features

- **Brick, Concrete and Paver Cleaner** “does the work,” no agitation required
- Effectively lifts and removes embedded oils/greases
- Contains no VOC's
- Designed for cleaning heavily soiled brick, concrete and interlocking paver surfaces
- Controlled cleaning process for time-sensitive surfaces
- Effective for commercial and residential exterior applications
- Helps restore the natural appearance of brick, concrete and pavers
- Easy to apply, allowing the product to do the work
- Suitable for periodic and restorative cleaning
- Wide range of applications across brick, concrete and paver surfaces
- Always verify compatibility using a patch test prior to full application

Cleaning Instructions

Patch Test (Required Prior to Use)

- Test by applying a small amount of BRICK, CONCRETE and PAVER CLEANER to an inconspicuous area.
- Do this by pouring some into a plastic dish and putting it on with a paintbrush.

- BRICK, CONCRETE and PAVER CLEANER starts working immediately
- Rinse BRICK, CONCRETE and PAVER CLEANER off, between 1 and 20 minutes, after applying and allow the test area to dry.
- If the surface is completely clean and no whitish colored blush or frosting appears on the surface, use the patch test time to do your cleaning.
- If a whitish haze or cast does appear on the surface, then repeat the patch test, using a shorter patch test, until none does.
- If desired, several patch tests, of differing time lengths, can be simultaneously performed to speed up the process.

Restorative Cleaning Process

- Cleaning should be completed in controlled sections to prevent product from drying
- On hot surfaces apply WATER ONLY first to help cool the section about to be cleaned
- Apply product to a manageable area that can be rinsed within the required exposure time
- Use a brush, roller, or sprayer to thoroughly wet the surface
- Allow time for the product to work
- **Keep area wet the entire time**

Spray Application Instructions

- Product may be applied using a pump sprayer or low-pressure electric pump (50–60 psi)
- Use a fan spray nozzle to fully saturate the surface
- Apply in a soaking manner, not a mist
- Avoid wind drift during application
- Do not apply through a pressure washer as this will dilute the product
- Do not use low-pressure airless sprayers that atomize the solution
- Be mindful of adjoining surfaces

Rinse/Neutralize

- Rinse/neutralize thoroughly using water and strong alkaline (4 oz/ gallon) once exposure time is reached
- Alternatively, neutralize by preparing a mixture of ½ lb. soda ash per gallon of water and apply it at the time the cleaner is supposed to be rinsed, using only enough material to make it bubble up and then stop. Once neutralized, the cleaner is inactive, and you can rinse treated surfaces at your convenience
- When/if practical use high-pressure water for effective rinsing
- Continue working in sections until cleaning is complete
- Final step WATER ONLY rinse or rinse/extract

NeverStrip Brick, Concrete & Paver Cleaner

Limitations

- Not designed to remove graffiti or paint
- Some stains may require specialty stain removal products
- Do not use on grout in ceramic tile floors
- Always verify surface compatibility prior

Coverage

- Coverage ranges from approximately 250 to 800 sq. ft. per gallon
- Coverage will vary depending on surface porosity and condition

Temperature Range

- Product performance decreases in colder temperatures
- Do not use below 45°F

Storage

- Keep containers sealed when not in use
- Store in a cool, dry place
- Product may darken over time without affecting performance
- Shelf life is indefinite when properly stored

Precautions

- Protect all adjacent surfaces during use
- May cause permanent damage to glass, soft metals, and glazed finishes
- Protect windows, fixtures, and surrounding materials
- Protect vegetation, contact causes immediate browning
- Use sufficient rinse water to dilute runoff during cleaning
- Avoid wind drift during application
- Test surfaces prior to full use

Safety

- Wear rubber gloves and safety goggles during use
- Use proper ventilation in enclosed areas
- If product comes into contact with skin or eyes, rinse immediately with water
- Refer to Safety Data Sheet for additional safety information

Environmental Information

- Readily biodegradable
- Contains no VOCs
- When used properly, poses no threat to the environment
- Dispose of waste in accordance with local regulations



2816 Centre Circle
Downers Grove, IL 60515
630-330-1010
Info@neverstrip.com