


A solution to your Sanitary Sewer Overflow problems



Designed in Texas



66 HOW CAN WE HELP

MUNICIPALITIES REDUCE

THEIR SANITARY


SEWER OVERFLOWS? 99





NON-HINGED





	AASHTO	Clear	Outer	Rim		INNER	I&I gpm	MASS			
	M306-10 Proof Load		Diameter	girth	Locate	DISH		SAFETY DISH	FRAME	COVER	TOTAL
Super 24 NH SSO Series	HS-25	24" I.D.	36" O.D.	4.0"	3M	Safety Dish	0.0 gpm	9.5	69.3	70.0	148.8
Super 30 NH SSO Series	HS-25	30" I.D.	41" O.D.	4.0"	3M	Safety Dish	0.0 gpm	14.1	81.4	99.5	195.0

Our new **Safety Dish** features:



Double Gasket protection against I&I and treatment costs!



Solves wastewater municipalities most common problems



Exceeds 50,000lb proof load test AASHTO



Water tight



No scrap metal value



Anti-Corrosive Inert Composite materials



Locate with: **3M[™]iD Disk Marker 1414-XR/iD**



Odor-eliminating



Anti-Theft



5 year warranty



Manufactured at an ISO 9000 certified plant



Bolted down to frame, cover & inner dish



NO unlawful entry: bolt & locking system



Self-Extinguishing

Tested & Certified

Third Party Tested & Certified

by

The Trenchless Technology Center (TTC) at Louisiana Tech University


SuperCover[™]

Name

Complies with the requirements of section 6.1

Proof-Load Test H-25 as specified in AASHTO Standard M

306-2, CERTIFIED TO M-306 H-20 & H-25








The Trenchless Technology Center (TTC) at Louisiana Tech University

is an independent source of knowledge, research and education for both government entities and the private sector in the field of Trenchless Technology.

3MTM iD Disk Marker 1414-XR/iD



3M™ iD Markers are designed to provide an accurate, convenient, long-lasting method of marking underground assets. In addition, these markers may be programmed to include customer specific information such as facility data, type of application, material type and size, placement date and other important details.



Premier Distributor Industrial Products



3M ID 80611303548, UPC 00051115160943



nttps://www.3m.com/3M/en_US/company-us/all-3m-products/~/3M-Disk-Marker-1414-XR-iD-5-ft-Range-Wastewater-Not-for-Direct-Bury/?N=5002385+3294729747&rt=rud

Frequently asked questions

QUESTIONS	ANSWERS
Is the cover manufactured in the USA?	No. Designed in Texas. Made in China
Does it come with a warranty or any guarantee?	Yes, 5 years. No hassle
Is the cover HS-25 rated?	Yes. Tested and proven
Is the cover kept secure to the frame with a bolt or locking system?	Yes. 4 X 316 SS Bolts
How does the SuperCover™ SSO Series reduce sanitary sewer overflows?	It eliminates water going in and stops sewage water from gushing out
Since the cover is NON-Metallic can it be located?	Yes, by means of a 3M™ iD Marker
Does the unit prevent infiltration & exfiltration?	Yes, by means of gaskets and bolts

SuperCover SSO Series VS. The Competition:

	SUPER COVER™		
Anti-rotating	✓	×	×
Inflow dish capable	✓	×	X
5 year warranty	✓	×	X
Bolted down Inflow dish	✓	×	X
Double gasket	✓	×	X
Odor prevention	✓	✓	V
Fall protection Safety dish	✓	×	X
Self-aligning	✓	×	X
HS-25 Load rated	✓	✓	V

Built for the wastewater industry, *created* by the wastewater industry

If you are a Muncipal Operator and would like to share your thoughts on how we could further improve The SuperCover™, contact us at www.supercover.com



(956) 264-5188 sales@supercover.com www.supercover.com

Call for pricing

If you are interested in becoming a distributor please contact us

"We **highly recommend** SuperCover as the supplier for HS-25 Load Rated HD Composite Manhole Covers."

"We have **sold hundreds** of SuperCover composite manhole covers from our warehouse, to multiple cities and contractors with no issues."

"It is a very **durable and cost- effective** product that keeps our manholes in a safer condition when needed for service."

"SuperCover composites have reduced our staff's injuries and workman's compensation associated with prying open fused manhole covers.