
Product Sales Sheet

Basic Rolls & Tiles

Basic Rolls and Tiles are the "original" recycled rubber fitness floor. Available in rolls and tiles, this durable surface sets the standard for performance, quality, and affordability.



Markets


- Fitness
- · Student Rec

Applications

- Cardio
- Light Weights
- · Ice Rinks
- Strength Equipment

Benefits

- Durable
- Sustainable
- Ease of maintenance
- · Slip-resistant



Product Options

Size:

Available as a standard in rolls and interlocking tiles. All custom options should be discussed with your local agent to determine availability, pricing, minimums, and lead times.



8mm x 48" (1.2m) 6mm x 48" (1.2m) 9mm x 48" (1.2m)




 $8mm \times 36"$ (91cm) $\times 36"$ (91cm)



8mm x 23" (58cm) x 23" (58cm) 8mm x 24" (61cm) x 24" (61cm)

Color Options:

· See website for colors.



Technical Details

Performance Criteria	Test Standard	Typical Results
Static Load Limit	ASTM F970	0.020" (@ 1000 psi)
Coefficient of Friction	ASTM D2047	> 0.9
FloorScore	CA 01350	Certified
Abrasion Resistance	ASTM D3389	<1g, 1000 cycles
Pill Test	ASTM D2859	Pass
Impact Insulation Class*	ASM E492	51
Delta IIC*	ASTM E2179	22

^{*}Tested on a 6" concrete slab with no ceiling.

