

12 N Federal Hwy, Suite A Pompano Beach FL, 33062 NPI 1649771171 / NCPDP 5736939 Phone (866) 478-3761 Fax (888) 510-2297

Email: rx@yhpharmacy.com

## WART AND NAIL FUNGUS TREATMENT NAIL FOCUSED

Patient Name:	Date of Birth:
Address:	City:
State:	Zip:
Phone:	Email:
Allergies: NKDA (no known drug allergies) Aspirin/ NSAID's Cyclobenzaprine Lidocaine / Local Anesthetic Tramadol Opioid Gabapentin Penicillin Amitriptyline Other:	
WARTS	
DISPENSE FLUOROURACIL 5% cream with CMPD capsule 20% Salicylic Acid and 40% Urea #60 capsules – Mix together and Apply 2gm to affected area every other day to thick skin with warts	
NAIL FUNGUS	
1. DICLOFENAC 1.5% in 45.5% DMSO #150ml – Mix Diclofenac (5ml) with other meds, apply to all nails being treated once daily *Cover with Bassa-Gel™* AND DISPENSE FLUCYTOSINE 500mg Cap #30 - Mix 1 cap and Diclofenac (5ml), apply to all nails being treated once daily *Cover with Bassa-Gel™* AND DISPENSE CMPD Clotrimazole 20mg Cap #30 - Mix 1 cap and Diclofenac (5ml), apply to all nails being treated once daily *Cover with Bassa-Gel™*  a. If checked, pharmacy is authorized to dispense the below in lieu of the medications listed in #1 above if needed for any reason or if desired by patient  i. DICLOFENAC 1.5% in 45.5% DMSO #10ml – Apply to all nails being treated once daily *RPh: Cover with Bassa-Gel™ after all treatment done* AND DISPENSE TAVABOROLE 5% Solution (Generic KERYDIN®) #10ml – Apply to all nails being treated once daily *RPh: Cover with Bassa-Gel™ after all treatment done*  DISPENSE DICLOFENAC 1.5%/DMSO soln #150ml with CMPD Ketoconazole and Urea 500mg Cap #60 – Mix 2 caps and 2ml of solution, apply twice daily to affected nail – Apply 2gm twice daily to thick nail with inflammation and infection  DISPENSE DICLOFENAC 1.5%/DMSO soln #150ml with CMPD Itraconazole and #120 – Mix 2 caps and 2ml of solution, apply twice daily to affected nail – Apply 2gm twice daily to nail with inflammation and infection  If checked, also dispense Lamisil 250mg Generic Tab #84 – Take 1 tab by mouth once daily	
FOOT PAIN	
DISPENSE DICLOFENAC 1.5%/DMSO soln #150 ml with Lidocaine 4% solution 60ml – Mix together and 2ml of solution, apply twice daily to affected area of foot pain  CMPD Topical Cream – Gabapentin 6% Lidocaine 5% Diclofenac 3% Cyclobenzaprine 2%Baclofen 2% #120gms – Apply 1-2mls three to four times daily for treatment of pain  CMPD Topical Cream (NEEDS SEPARATE PRESCRIPTION) – Ketamine 10% Gabapentin 10% Lidocaine 5% Diclofenac 3% Cyclobenzaprine 2% Baclofen 2% #120gms – Apply 1-2 mls three times daily for treatment of pain	
Physician Name:	
Address:	City:
State:	Zip:
Phone:	Fax:
DEA:	NPI:

