

### **NeverStrip Grout Color Sealer**<sup>™</sup>





# **NeverStrip Grout Color Sealer Safety Data Sheet**

#### Section [1] Identification

Product Name: NeverStrip Grout Color Color Sealer

**Description:** A sealer for grout.

Manufacturer: NeverStrip Floor Coatings, 2816 Centre Cir, Downers Grove, IL 60515

Information: 847.881.4404 Emergency: 847.881.4404 E-mail: Info@NeverStrip.com Date Prepared: 07/23/25

Prepared by: NeverStrip Floor Coatings

Date of previous: 11/26/15

Section [2] Ingredients and Hazards Identification

Hazardous Components: None

GHS Symbol(s): None

**GHS Signal Word: WARNING** 

**Hazardous Material Identification System (HMIS)** 

Health 1 Fire 0 Reactivity 0 Protection B

B - Safety Glasses, Synthetic Gloves

Classification: None Signal Word: None Hazard Statement: None

Precautionary Statements: Prevention. Keep out of reach of children. Read label before use.

#### Section [3] Composition/Information on Ingredients

Component	CAS#	Wght%
Hexylene glycol	107-41-5	1-5%

Varied percentages are shown due to batch variations and/or to protect formula confidentiality. This mixture may contain additional nonhazardous ingredients not required in this section, and any available exposure limits will be recorded in section 8.

#### **Section [4] First-Aid Measures**

**Skin Contact:** Flush contaminated skin with plenty of water. Remove contaminated clothing. Get medical attention if symptoms occur.

**Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Incase of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.



### NeverStrip Grout Color Sealer Safety Data Sheet

**Ingestion:** Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### **Section [5] Fire-Fighting Measures**

**Extinguishing Media:** Suitable extinguishing media.

Basic Firefighting Procedures: None.

**Unusual Fire and Explosion Hazards:** No specific fire or explosion hazard.

#### **Section [6] Accidental Release Measures**

Refer to Section 8: Exposure Control and Personal Protection

**Emergency Action:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

**Spill/Leak Procedure:** Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. **Notification:** If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

#### Section [7] Handling and Storage

**Refer to Section 8:** Exposure Control and Personal Protection **Handling:** Put on appropriate personal protective equipment (see Section 8).

**Storage:** Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

#### **Section [8] Exposure Controls/Personal Protection**

Component: Hexylene glycol

**CAS:** 107-41-5 **NIOSH:** 25 ppm **REL:** 125 mg/m3

Engineering Controls: Good general ventilation should be sufficient to control worker exposure to

airborne contaminants.

Eye and Face Protection: Safety eyewear should be used when there is a likelihood of exposure.

**Recommended:** Safety glasses.

**Skin Protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. **Recommended:** Nitrile gloves.



## NeverStrip Grout Color Sealer Safety Data Sheet

**Respiratory Protection:** Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

#### Section [9] Physical and Chemical Properties

Physical State: Liquid Odor: Very Little

Melting/Freezing Point: 0°C (32°F) Boiling point: 100°C (212°F)

#### Section [10] Stability and Reactivity

Chemical Stability: The product is stable.

Stability/Incompatibility: Under normal conditions of storage and use no reactions will occur.

Conditions to Avoid: None.

Hazardous Reactions/Decomposition Products: Under normal conditions of storage and use,

hazardous reactions will not occur.

#### Section [11] Toxicological Information

No known significant effects or hazards.

#### Section [12] Ecological Information

No known significant effects or hazards.

#### Section [13] Disposal Considerations

**Do not reuse empty containers.** Containers should be recycled or disposed of at an approved waste facility. Unused product and container should be disposed of according to local, state, and federal regulations at an appropriate facility.

#### Section [14] Transport Information

**DOT Classification:** Not regulated **IMDG Classification:** Not regulated **IATA-DGR Classification:** Not regulated

#### Section [15] Regulatory Information

U.S. Federal regulations

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: No products were found.

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs): Not Listed

Clean Air Act Section 602 Class I Substances: Not Listed Clean Air Act Section 602 Class II Substances: Not Listed DEA List I Chemicals (Precursor Chemicals): Not Listed DEA List II Chemicals (Essential Chemicals): Not Listed



### NeverStrip Grout Color Sealer Safety Data Sheet

Massachusetts: Not Listed Rhode Island: Not Listed New Jersey: Not Listed Pennsylvania: Not Listed California Prop. 65: Not Listed

Canadian NPRI: All components are listed or exempted. CEPA Toxic substances: None of the components listed. Canada inventory: All components are listed or exempted. Mexico: Health 1, Flammability 0, Reactivity 0, Special 0

Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted.

Japan inventory: All components are listed or exempted. Korea inventory: All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.

Philippines inventory (PICCS): All components are listed or exempted.

#### Section [16] Other Information

### Hazardous Material Inormation (HMIS) National Fire Protection Association (NFPA)

Health 4 Deadly 3 Extreme Danger 2 Dangerous 1 Slight hazard 0 No hazard Fire 4 < 73 °C 3 < 100 °C 2 < 200 °C 1 >200 °C 0 Will not burn Reactivity/Instability 4 – May detonate 3 Explosive 2 Unstable 1 Normally stable 0 Stable

**Risk phrases:** R36, Irritating to eyes; R37, Irritating to respiratory system; and R38, Irritating to skin. Safety phrases: S2, Keep out of reach of children; S24, Avoid contact with skin; S25, Avoid contact with eyes; S37, Wear suitable gloves; and S39, Wear eye/face protection.

**Disclaimer:** The information contained herein is based on the data available to us and is believed to be correct. NeverStrip Floor Coatings makes no warranty expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. NeverStrip Floor Coatings assumes no responsibility for injury, loss or damage from the use of the product described.

**NeverStrip Floor Coatings,** 847.881.4404 www.NeverStrip.com **For Hazardous Materials Incident:** Spill, Leak, Fire, Exposure, or Accident

07.23.25